


Media and Sample Preparation



01 | Our Credentials


Don Whitley Scientific has been designing, manufacturing, selling and servicing equipment for microbiology laboratories for over 40 years. In order to maintain our one-stop-shop for lab automation, we also sell some complementary equipment from other, carefully selected manufacturers.

Automated media and sample preparation devices have always been one of our staple areas and from the early 1980s we entered into a successful partnership with AES Laboratoire to sell and service their 'blue range'. 40 years later we begin a new chapter with Alliance Bio Expertise (ABE), a French company with a former AES Director and many ex-AES product specialists as part of the team. Their range of laboratory media and sample preparation equipment is designed to meet the rigorous demands of today's busy laboratory,

being intuitive, sturdy, reliable and providing full traceability. Not only did the quality of their products impress us but the organisational values and culture of ABE are very similar to those of Don Whitley Scientific. By listening to their customers' needs, ABE deliver quality equipment and customer service that builds lasting, long term relationships.

Today, DWS and ABE are working together to bring some of the tedious tasks that lab technicians have

to undertake on a daily basis. Our service support is second to none, with a team of ABE trained service engineers located throughout the UK. All our engineers carry a comprehensive range of spare parts in order to perform a first-time-fix if at all possible. We can also offer UKAS validation and calibration on a variety of heat sterilisation equipment, temperature controlled processes and temperature indicators.





ALLIANCE
BIO EXPERTISE



Jacket Pressure
Pression Enveloppe



Vessel Pressure
Pression Cuve



ALLIANCE
BIO EXPERTISE

MEDIAWEL 30

CYCLE

PROGRAM

STIRRER

SETTINGS

24/02/2017
10:19:05

01: TEST1

- 1 : STERILISATION
121.0°C - 015' - 7 - 7
No alarm
- 2 : DISTRIBUTION
42.0°C - 000' - 7 - 7
Alarm 'DISTRIBUTION'



MEDIAWEL 30

03 | Media Preparation


MEDIAWEL 10®

MEDIAWEL 10 is an automatic media preparator with a capacity of between 1 to 10 litres. It has a high temperature accuracy and MEDIAWEL can increase productivity, quality, repeatability and traceability because you can make your media faster and be more flexible in terms of the type of media you can prepare. MEDIAWEL 10 can be bench mounted or there is an optional trolley with large wheels so you can easily slide it under the bench to save space.

A variety of safety features are standard, including a safety lid that locks when the temperature reaches 80°C. Full traceability and easy export of data via a USB interface, speeds up work processes and optimises workflow. A printer is also available. Real time data monitoring is available through the WiFi and Ethernet connection to your PC, Smartphone or tablet. Each cycle is recorded and stored locally and can be exported (PDF or CSV format) via the USB drive.

FEATURES

- Capacity from 1 litre to 10 litres
- 7" colour touchscreen LCD display
- Continuous homogenisation
- Slow, smooth stirring: 9 adjustable speeds - 20 to 110 rpm - to avoid bubbling
- Sterilisation temperature: 95°C to 125°C
- Temperature precision: +/- 0.5°C after temperature stabilisation
- A 16 GB card is included, which can store up to 10,000 cycles
- One click connection/disconnection from the water supply



MEDIAWEL 30®

MEDIAWEL 30 can prepare from 2.5 litres to 30 litres and has a high temperature accuracy, MEDIAWEL can increase productivity, quality, repeatability and traceability. You can make your media faster and be more flexible in terms of the type of media you can prepare.

The patented, large stirring rod ensures the entire batch has a high viscosity and the extra built-in pre-filter prevents contamination. In addition, this pre-filter protects the more expensive main filter from clogging and is thus a cost-effective feature.

Full traceability and easy export of data via a USB interface, speeds up work processes and optimises workflow.

Easy to clean, MEDIAWEL has a drain mechanism underneath to facilitate cleaning the internal vessel. A bucket can be placed underneath the device to drain off the water with ease.

FEATURES

- Capacity from 2.5 litres to 30 litres
- 7" colour touchscreen LCD display
- Continuous homogenisation
- Slow stirring: 9 adjustable speeds - 20 to 110 rpm - to avoid bubbling
- Sterilisation temperature: 95°C to 125°C
- Temperature precision: +/- 0.5°C after temperature stabilisation
- A 16 GB card is included, which can store up to 10,000 cycles
- One click connection/disconnection from the water supply
- Large, medical wheels enable the device to be moved to where it is needed



05 | Media Preparation

DISTRIWEL 440


DISTRIWEL 440 is an automatic Petri dish filling and stacking machine that allows you to prepare up to 440 plates (15ml) within 30 minutes.

With the Masterflex™ Peristaltic Pump, the medium is poured precisely and evenly onto the plates. In addition, the built-in Peltier cooler prevents condensation and speeds up solidification time, thus ensuring a constant high quality of the media. DISTRIWEL 440 has a Plexiglas protective cover and a built-in UV lamp to help prevent contamination during the pouring process.

For enhanced traceability, connect DISTRIWEL to a printer so that up to 15 characters in 2 lines can be printed directly onto the Petri dish.

FEATURES

- 7" colour touchscreen display for ease of use
- Multicoloured visual alarms
- Carousel capacity - 440 dishes
- Fill up to 880 x 90mm plates per hour
- 40 stored programmes
- Pouring range: 00.1 ml - 99.9 ml (plate pouring); 00.1 ml - 999.9 ml (pump mode)
- In-line blood addition option
- Built-in Peltier cooling system reduces condensation
- Ergonomic design
- Optional footswitch for manual dispensing





07 | Liquid Handling

POLYWEL


POLYWEL 3D is a true walk-away dispensing system designed to be used in a modern laboratory to increase throughput. This device eliminates time-consuming, laborious tasks that could be creating a bottleneck in media production or tying up technicians for long periods of time.

A throughput of 1,000 tubes per hour (9ml into 18mm tubes) with a true walk-away capability will free up staff to perform other tasks while the POLYWEL dispenses reliably and accurately. There are a range of tubing sizes available to optimise speed and accuracy at different dispense volumes. With full calibration at the start of any run and at user defined intervals, full traceability is available to satisfy all quality systems.

Racks are autoclavable, as is the tubing, making it possible to fill tubes and bottles pre-sterilisation or fill aseptically from a media preparator or other sterile media vessel. The racks have been designed so that tubes can be inserted directly from the packaging, saving time unpacking and loading racks ready to fill. Bottles and tubes of varying sizes and volumes can be filled, making the POLYWEL a truly versatile piece of equipment.

FEATURES

- Maximum size of containers: Height between 115 and 250mm; Width up to 190mm; Depth up to 390mm
- Tubing diameters: 1.6mm, 3.2mm and 6.4mm
- Volume accuracy of +/- 0.1ml (>5ml)
- Simple to use, easy to program
- One POLYPUMP 3D supplied with the POLYWEL
- Programmable calibration check intervals



DOSYWEL

DOSYWEL is a multi-functional, compact peristaltic pump that provides a quick and accurate way of filling vessels with liquids. This device can dispense 9 ml in just one second; 18 ml in 3 seconds and a total of 225 ml in 10 seconds, all with an accuracy of +/- 0.6 ml.

The DOSYWEL can be calibrated in a few simple steps. In addition, there is a reminder function to alert the user after a pre-determined number of samples, that a calibration is due.

Programming is easy - there are 20 different programs installed on the device, which can be customised according to your requirements.

FEATURES

- Rapid and accurate
- High level of traceability via various data export options
- Lightweight for easy transportation, DOSYWEL has the flexibility for additional pumps to be added.
- Only 3.8 kg so is easy to move to where you need it
- Capacity between 0.1 to 9999.9 ml
- Up to 3 additional pumps can be added for more flexibility
- Variable speed from 1 - 130% / 10 - 550 rpm
- USB port - Ethernet enabled

Diameter	Accuracy at 100%	Reproducibility
Ø 1,6 ml	9 ml / 18 ml / 225 ml : ± 0,037 ml	±0,007 ml
Ø 3,2 ml	9 ml / 18 ml / 225 ml : ± 0,159 ml	±0,055 ml
Ø 4,8 ml	9 ml / 18 ml / 225 ml : ± 0,365 ml	±0,060 ml
Ø 6,4 ml	9 ml / 18 ml / 225 ml : ± 0,530 ml	±0,070 ml



09 | Sample Preparation


DILUWEL

DILUWEL is a rapid, accurate gravimetric diluter for combining solid samples with the correct amount of diluent, automating the laborious task of making and standardising initial sample dilution.

Place your sample in a blender bag and the DILUWEL weighs the sample and adds the correct amount of diluent to achieve your preset dilution. 225 ml of diluent can be added in 12 seconds (or 9 seconds in turbo mode!) with a >99% accuracy. The patented vertical weighing system offers greater stability and accuracy due to a fully integrated spirit level and height adjustable feet.

FEATURES

- Weighing range of 0.1g to 4000g and can achieve a dilution factor of 1:1 to 1:100
- 2 USB ports
- 20 editable programs
- The finger-stop nozzle helps to prevent cross contamination during installation.
- At only 8 kg, the DILUWEL is light enough to be moved around the lab
- It is very easy to keep clean with a durable, stainless steel bag holding.
- Turbo function
- Optional accessories include a bar code reader, label printer, footpedal, keyboard and up to 3 additional pumps
- Integrated bubble spirit level with adjustable feet




MIXWEL / MIXWELL +

MIXWEL is a powerful yet easy to use homogeniser that allows you to mix samples quickly and thoroughly. The patented pendulum mixing system provides incredible power and efficiency - a force of 28 - 70kg per paddle.

This device has a small, compact base, taking up a minimal amount of bench space. It is also stable and vibration-free and does not create a great deal of additional noise in the laboratory. MIXWEL is lightweight so is easy to move on the bench. The paddles and doors are easy to remove to facilitate the cleaning process and, in addition, the door includes a waste tank to help catch spillages.

FEATURES

- Powerful yet easy to use
- Patented pendulum mixing system for perfectly homogenised samples
- Compact and transportable - weighs 14kg
- Stainless steel chamber facilitates easy cleaning
- <48 dbA so doesn't cause excessive background noise
- No special tools required
- Adjustable speed on the Mixwel+
- Adjustable blending to adapt to the sample matrix (automatic adjustment on the Mixwel+)



11

Complementary Products

WASP Touch

A robust, reliable spiral plater designed for the needs of the modern microbiology laboratory, WASP Touch performs the equivalent of three logarithmic serial dilutions across a 90mm plate and four logarithmic dilutions across a 150mm plate. Alternatively, WASP Touch can deliver a precise, reproducible linear sample deposition (without dilution across the plate).

FEATURES

- There is no need for a separate vacuum source
- Automatically logs date, time, deposition, username, number of plates produced – a powerful diagnostic tool
- A wide range of logarithmic and linear deposition volumes are available to optimise your sample processing
- Precise quantities of sanitizing fluids are dispensed automatically to maintain optimum levels and ensure efficient sanitization
- Sample may be aspirated from beakers, bottles and tubes for maximum flexibility
- Easy serviceability



ProtoCOL 3 Plus

ProtoCOL3 Plus is an automated colony counter and zone reading system with a high specification digital camera and LED lighting. The system comes complete with a colour, touchscreen PC that can be positioned on the bench or mounted on top of the unit if space is limited.

FEATURES

- Use plates up to 150mm diameter
- High quality imaging allows clear distinction of different colours of colony on one plate
- Counts colonies as small as 43 microns and measures zones of inhibition as small as 0.1mm diameter
- Flexible, fast and accurate with the ability to transfer data electronically and avoid transcription errors
- Add optional software modules for spiral plates, OPKA, SBA, Multi-sector, Multi-well, SRD, AMES and statistical analysis



Whitley Jar Gassing System

With the Whitley Jar Gassing System you can create perfect conditions for growing anaerobes in jars in just 2 minutes and for microaerophiles in 15 seconds. There is also a reduction in the cost of creating microaerobic conditions by 98% and anaerobic conditions by 89%.

FEATURES

- Easy to use with no complicated operator training required
- Full colour touch screen control panel to allow real time monitoring of the conditions
- Incorporates PIN code protected user access levels for additional security
- The optional printer enables you to create a hard copy audit trail for accreditation purposes
- Adaptor kit available to enable you to connect most types of jar



Whitley Workstations

Whitley Anaerobic and Microaerobic Workstations provide the perfect conditions for processing, incubating and examining samples without exposure to atmospheric oxygen. Now you can manipulate samples in a sustainable environment where parameters can be altered to create the required conditions.

FEATURES

- A range of sizes from 200 - 1080 plate capacities
- Patented oval, sleeved or Instant Access Porthole System
- Colour touch screen control and display of all parameters
- Data download in seconds and remote access as standard
- Models available with removable front, single sample entry systems, HEPA filtration, Anaerobic Conditions Monitor and a range of other useful features



AIRWEL® / AIRWEL®+

The AIRWEL® and AIRWEL®+ air samplers are used in the active monitoring of airborne contamination/air quality in the laboratory. Airborne microorganisms are collected through the stainless steel grid and then impacted into the Petri dish. The plate can then be incubated and the microbial content analysed.

FEATURES

- 90 and 55mm Petri dish compatible
- 130 x 150 x 330mm (w x d x h) and weighs only 1.6kg.
- Airflow rate 100 l / min, 200 l / min
- Battery lasts more than 10 hours
- Complies with ISO14698/ISO17025, USP797/USP116, EU GMP/GLP
- Stainless steel or disposable polyester heads
- Android app for PC, Smartphone or tablet available
- Import data with a Bluetooth barcode scanner and export to a .csv file
- Transport case included



13

Complementary Products

Autoclaves

Tuttnauer autoclaves are specifically designed for laboratory sterilisation applications. They provide high quality, repeatable performance and documentation for quality assurance processes. Benchtop and freestanding models are available in a variety of capacities – from 28 – 160 litres. A range of options is available to tailor your autoclave to your specific needs, including fast cooling, super-fast cooling and a biohazard and waste system.

FEATURES

- Advanced multi-coloured control panel with quick access to a variety of information, including a built-in view of historical cycle data
- Safety is key: for example when the chamber is pressurised, the door cannot be opened
- Optional calibration and validation for UKAS
- Quality compliance standards include ISO9001:2008; ISO13485:2003. 21 CFR 820



Cyclone

A fully automated instrument for pour plating, spiral plating and spreading liquid samples. The system is capable of automatically managing a high throughput of sample dilutions, when necessary, and it can handle multiple molten agars simultaneously. The CYCLONE™ is ideal for laboratories wanting to increase their accuracy, reproducibility and productivity, while also decreasing operational costs with labour savings and by moving away from expensive film-based agars.

FEATURES

- Full sample traceability
- LIMS compatible
- Automation of pour plates
- Adaptable – accepts different types of sample container
- Simple to use software and touch screen monitor



Disposable Beakers

These beakers have been designed specifically for use with the WASP Touch. The use of the beaker increases the efficiency of the WASP. Solid, sturdy but disposable, these are the perfect sample container for spiral plating. Packed in boxes of 1000 units, the order code for these beakers is **B00039**. Their bacteriological specification is <math><1\text{ cfu}</math> per beaker.



Autoclave Deodorant

Deodorant capsules improve the working environment by neutralising odours associated with the autoclaving of laboratory waste. The capsules are scientifically formulated to cancel out and modify gaseous malodours produced by organic and inorganic compounds in autoclaved waste. The compact capsule design releases its contents automatically as the autoclave heats up, keeping your laboratory smelling fresh and clean. Order code **D00001**.



Labdet 100

Labdet 100 is a laboratory detergent available in 5 litre containers. Free-rinsing and biodegradable, Labdet is phosphate-free and may be mixed with hypochlorite solutions to make a steriliser/detergent for discard pots, etc. Order code **D00003**.





These complementary services support the design, manufacture and supply of Whitley Workstations.



MICROBIOLOGY LABORATORY

In-house laboratory services

It's not every laboratory equipment manufacturer that has its own in-house laboratory with experience in food, water, environmental, pharmaceutical and clinical work. As well as having developed a great deal of experience in culturing anaerobic and microaerophilic bacteria, the team of DWS scientists have a key role in new product development.

They are also on hand to help customers with the best practical, productive ways of using products supplied by DWS.



SERVICE AND MAINTENANCE

Comprehensive service plans

We offer UK customers comprehensive maintenance and repair contracts on a variety of laboratory equipment from many different manufacturers.

We ensure all our engineers receive ongoing training from the manufacturers of any equipment they service.


Engineer coverage across the UK

Fast response time

Stocks of genuine spare parts carried to ensure a first time fix

Two levels of cover available

Multi-product discounts



UKAS CALIBRATION/ VALIDATION

100% confidence

To provide you with 100% confidence in your processes and ensure your equipment and procedures will stand up to scrutiny,

DWS offers UKAS calibration and validation services for heat sterilisation equipment, temperature controlled processes and temperature indicators.

This flexible onsite and offsite service is undertaken by our team of experts who will take the time to explain the work they carry out.

If you are a service contract customer, we can schedule your UKAS calibration/validation work to take place at the same time as routine servicing to save you time and money.



TEMPERATURE MAPPING

On-going compliance

It is part of laboratory life that in today's increasingly regulated environment, there is the need to demonstrate on-going compliance with a range of quality and safety standards, eg for those working to ISO 15189:2012.

DWS is UKAS accredited to provide temperature mapping of Whitley Workstations, other anaerobic chambers, incubators, ovens, fridges or freezers using up to 12 thermocouples. This is useful if you need to identify whether or not any temperature gradients are present and need to be avoided when carrying out particularly sensitive incubation tasks.

Our on-site service means the work can be carried out at your convenience with the prompt supply of certification.



Don Whitley Scientific Limited

Victoria Works, Victoria Street, Bingley, BD16 2NH, UK
t: +44 (0)1274 595728 e: sales@dwscientific.co.uk

www.dwscientific.com



don whitley
scientific